

To: Shore, Berry[Shore.Berry@epa.gov]
From: Enck, Judith
Sent: Tue 11/29/2016 8:04:07 PM
Subject: Fwd: Google Alert - PFOA

Sent from my iPhone

Begin forwarded message:

From: Google Alerts <googlealerts-noreply@google.com>
Date: November 29, 2016 at 4:02:09 PM AST
To: enck.judith@epa.gov
Subject: Google Alert - PFOA

PFOA

Daily update □ November 29, 2016

NEWS

Hoosick Falls residents give state poor marks on PFOA response

Albany Times Union

The controversy over Hoosick Falls' contamination by **PFOA** (perfluorooctanoic acid), a substance linked to numerous human maladies including ...

DOH responds to the Hoosick Falls report card on PFOA - WRGB

Residents Impacted by PFOA Contamination Remind Lawmakers One Year Later - Spectrum News

People of Hoosick Falls deliver report card on Gov. Cuomo's PFOA response - NEWS10 ABC

Full Coverage

   [Flag as irrelevant](#)

PFOA remediation projects moving forward

Rutland Herald

PFOA, or perfluorooctanoic acid, a man-made chemical that has been linked to health problems such as high cholesterol and kidney and testicular ...

State makes progress towards municipal water for PFOA-impacted Bennington County - Vermont Biz

Full Coverage

   [Flag as irrelevant](#)

PFOA blood testing results due in coming weeks, officials say

WMUR Manchester

Those living in **PFOA**-contaminated areas like Litchfield are eager for that information, but the state epidemiologist said they still won't be able to ...

   [Flag as irrelevant](#)

PA DEP opens PFOA, PFOS investigation in parts of Perkasee, East and West Rockhill

The Intelligencer

Residents of any home or facility where **PFOA** and PFOS are detected above 70 ppt will be provided bottled water, according to the statement.

   [Flag as irrelevant](#)

Federal PFOA Limit Panned By State Scientists

Water Online (press release)

Public officials at the federal and state level appear increasingly far from a consensus on safe levels of perfluorinated acid (**PFOA**) in drinking water.

   [Flag as irrelevant](#)

Water filtration systems to be installed in **PFOA**-affected Litchfield homes

WMUR Manchester

On Wednesday night, some homeowners in Litchfield got their first look at the filters that will be installed inside their homes to make potentially ...

   [Flag as irrelevant](#)

[Hoosick Falls group grades Cuomo year after start of **PFOA** crisis](#)

WNYT

Cuomo received an "F" for not lowering the lifetime **PFOA** advisory to a level lower than the Environmental Protection Agency's 70 parts per trillion limit ...

   [Flag as irrelevant](#)

[Hoosick Falls Residents Frustrated with State Response to **PFOA** Contamination](#)

Legal Examiner

It wasn't long before he realized that St. Gobain used perfluorooctanoic acid (**PFOA**), a toxic chemical used for decades to make Teflon and other stain ...

   [Flag as irrelevant](#)

[PFOA: State to break ground on new water lines in 2017](#)

Bennington Banner (subscription)

PFOA, or perfluorooctanoic acid, was used in industry for decades to manufacture the non-stick coating Teflon. **PFOA** has been linked to health ...

   [Flag as irrelevant](#)

[Doctor connected to **PFOA** crisis stepping down](#)

WNYT

The New York State Health Director who was caught in the middle of the **PFOA** crisis in Hoosick Falls is stepping down from his post. Dr. Nathan ...

   [Flag as irrelevant](#)

WEB

State Design Contracts Signify Progress Towards Municipal Water for **PFOA**-Impacted Bennington ...

Office of Governor Peter Shumlin

Montpelier—Today, Gov. Peter Shumlin announced that the first phase in final design for water line extensions to **PFOA**-impacted drinking water wells ...

   [Flag as irrelevant](#)

You have received this email because you have subscribed to **Google Alerts**.

[Unsubscribe](#)

[Receive this alert as RSS feed](#)

[Send Feedback](#)